

Prevention for States Required Morbidity Indicators

Proposed ICD-10-CM Transition Guidance

Emergency Department Visits

1. All drug overdose emergency department visits	ED visits with any of the following ICD-9-CM codes:		
	Principal Diagnosis	OR First-listed External Cause-of-Injury	
	960-979: Poisoning by drugs, medicinal and biological substances	E850-E858: Accidental poisoning by drugs, medicinal substances, and biologicals E950.0-E950.5: Suicide and self-inflicted poisoning by solid or liquid substances E962.0: Assault by drugs and medicinal substances E980.0-E980.5: Poisoning by solid or liquid substances undetermined whether accidentally or purposely inflicted	
	ED visits with any of the following ICD-10-CM codes:		
	Principal Diagnosis	AND a 5 th /6 th character* of 1,2,3, or 4	AND a 7 th character of A, D, or missing
	T36-T50: Poisoning by drugs, medicaments and biological substances	*For T36.9, T37.9, T39.9, T41.4, T42.7, T43.9, T45.9, T47.9, and T49.9, a 5 th character; for all others, a 6 th character 1: Accidental, (unintentional) 2: Intentional self-harm 3: Assault 4: Undetermined intent	A: Initial encounter D: Subsequent encounter
2. Emergency department visits involving opioid overdose excluding heroin	ED visits with any of the following ICD-9-CM codes:		
	Principal Diagnosis	OR First-listed External Cause-of-Injury	
	965.00: Poisoning by opium 965.02: Poisoning by methadone 965.09: Poisoning by other opiates and related narcotics	E850.1: Accidental poisoning by methadone E850.2: Accidental poisoning by other opiates and related narcotics	
	ED visits with any of the following ICD-10-CM codes:		
	Principal Diagnosis	AND a 6 th character of 1,2,3, or 4:	AND a 7 th character of A, D, or missing:
	T40.0X: Poisoning by opium T40.2X: Poisoning by other Opioids T40.3X: Poisoning by methadone T40.4X: Poisoning by synthetic Narcotics T40.60: Poisoning by unspecified Narcotics T40.69: Poisoning by other Narcotics	1: Accidental, (unintentional) 2: Intentional self-harm 3: Assault 4: Undetermined intent	A: Initial encounter D: Subsequent encounter

3. Emergency department visits involving heroin overdose	ED visits with any of the following ICD-9-CM codes:		
	Principal Diagnosis	OR First-listed External Cause-of-Injury	
	965.01: Poisoning by heroin	E850.0: Accidental poisoning by heroin	
	ED visits with any of the following ICD-10-CM codes:		
	Principal Diagnosis	AND a 6 th character of 1,2,3, or 4:	AND a 7 th character of A, D, or missing:
	T40.1X: Poisoning by heroin	1: Accidental, (unintentional) 2: Intentional self-harm 3: Assault 4: Undetermined intent	A: Initial encounter D: Subsequent encounter

Hospitalizations			
1. All drug overdose hospitalizations	Hospitalizations with any of the following ICD-9-CM codes:		
	Principal Diagnosis	OR First-listed External Cause-of-Injury	
	960-979: Poisoning By Drugs, Medicinal And Biological Substances	E850-E858: Accidental poisoning by drugs, medicinal substances, and biologicals E950.0-E950.5: Suicide and self-inflicted poisoning by solid or liquid substances E962.0: Assault by drugs and medicinal substances E980.0-E980.5: Poisoning by solid or liquid substances undetermined whether accidentally or purposely inflicted	
	Hospitalizations with any of the following ICD-10-CM codes:		
	Principal Diagnosis	AND a 5 th /6 th character* of 1,2,3, or 4	AND a 7 th character of A, D, or missing
	T36-T50: Poisoning by drugs, medicaments and biological substances	*For T36.9, T37.9, T39.9, T41.4, T42.7, T43.9, T45.9, T47.9, and T49.9, a 5 th character; for all others, a 6 th character of: 1: Accidental, (unintentional) 2: Intentional self-harm 3: Assault 4: Undetermined intent	A: Initial encounter D: Subsequent encounter
2. Hospitalizations involving opioid overdose excluding heroin	Hospitalizations with any of the following ICD-9-CM codes:		
	Principal Diagnosis	OR First-listed External Cause-of-Injury	
	965.00: Poisoning by opium 965.02: Poisoning by methadone 965.09: Poisoning by other opiates and related narcotics	E850.1: Accidental poisoning by methadone E850.2: Accidental poisoning by other opiates and related narcotics	

Hospitalizations involving opioid overdose excluding heroin	Hospitalizations with any of the following ICD-10-CM codes:		
	Principal Diagnosis	AND a 6 th character of 1,2,3, or 4:	AND a 7 th character of A, D, or missing:
	T40.0X: Poisoning by opium T40.2X: Poisoning by other Opioids T40.3X: Poisoning by methadone T40.4X: Poisoning by synthetic Narcotics T40.60: Poisoning by unspecified Narcotics T40.69: Poisoning by other Narcotics	1: Accidental, (unintentional) 2: Intentional self-harm 3: Assault 4: Undetermined intent	A: Initial encounter D: Subsequent encounter
3. Hospitalizations involving heroin overdose	Hospitalizations with any of the following ICD-9-CM codes:		
	Principal Diagnosis	OR First-listed External Cause-of-Injury	
	965.01: Poisoning by heroin	E850.0: Accidental poisoning by heroin	
	Hospitalizations with any of the following ICD-10-CM codes:		
	Principal Diagnosis	AND a 6 th character of 1,2,3, or 4:	AND a 7 th character of A, D, or missing:
	T40.1X: Poisoning by heroin	1: Accidental, (unintentional) 2: Intentional self-harm 3: Assault 4: Undetermined intent	A: Initial encounter D: Subsequent encounter