

**Committee:** Infectious

**Title:** Public Health Reporting and National Notification for Mumps

## **I. Statement of the Problem**

CSTE position statement 07-EC-02 recognized the need to develop an official list of nationally notifiable conditions and a standardized reporting definition for each condition on the official list. The position statement also specified that each definition had to comply with American Health Information Community recommended standards to support “automated case reporting from electronic health records or other clinical care information systems.” In July 2008, CSTE identified sixty-eight conditions warranting inclusion on the official list, each of which now requires a standardized reporting definition.

## **II. Background and Justification**

### *Background*

Mumps is characterized by swelling of either one or both of the parotid glands of two or more days duration. It may be accompanied by fever and swelling of the submandibular and sublingual glands. While typically self-limited and mild, complications of mumps may include aseptic meningitis, encephalitis, acute hearing loss, orchitis, oophoritis, mastitis and pancreatitis. Despite high immunization levels, a few isolated outbreaks and one large epidemic have been recognized in the US in recent years. The US mumps epidemic in 2006 was preceded by several years of widespread disease in Europe, particularly the UK, where immunization rates are low. Surveillance of mumps is needed to detect and control outbreaks and to evaluate current prevention strategies.

### *Justification*

Mumps meets the following criteria for a nationally and **standard** notifiable condition, as specified in CSTE position statement 08-EC-02:

- A majority of state and territorial jurisdictions—or jurisdictions comprising a majority of the US population—have laws or regulations requiring **standard** reporting of Mumps to public health authorities
- CDC requests **standard** notification of Mumps to federal authorities CDC has condition-specific policies and practices concerning the agency’s response to, and use of, notifications.

## **III. Statement of the desired action(s) to be taken**

CSTE requests that CDC adopt this standardized reporting definition for Mumps to facilitate more timely, complete, and standardized local and national reporting of this condition.

#### IV. Goals of Surveillance

To provide information on the temporal, geographic, and demographic occurrence of mumps to facilitate its prevention and control.

#### V. Methods for Surveillance

Surveillance for Mumps should use the sources of data and the extent of coverage listed in table V below.

**Table V.** Recommended sources of data and extent of coverage for ascertaining cases of Mumps.

| Source of data for case ascertainment                                    | Coverage        |                |
|--------------------------------------------------------------------------|-----------------|----------------|
|                                                                          | Population-wide | Sentinel sites |
| clinician reporting                                                      | X               |                |
| laboratory reporting                                                     | X               |                |
| reporting by other entities (e.g., hospitals, veterinarians, pharmacies) | X               |                |
| death certificates                                                       |                 |                |
| hospital discharge or outpatient records                                 | X               |                |
| extracts from electronic medical records                                 | X               |                |
| telephone survey                                                         |                 |                |
| school-based survey                                                      |                 |                |
| other _____                                                              |                 |                |

#### VI. Criteria for Reporting

Reporting refers to the process of healthcare providers or institutions (e.g., clinicians, clinical laboratories, hospitals) submitting basic information to governmental public health agencies about cases of illness that meet certain reporting requirements or criteria. The purpose of this section is to provide those criteria to determine whether a specific illness should be reported.

##### **A. Narrative description of criteria to determine whether a case should be reported to public health authorities**

Report any illness to public health authorities that meets any of the following criteria in the absence of a more likely diagnosis:

- 1) Acute illness clinically compatible with mumps in a person with any of the epidemiologic evidence::
  - i. Contact of a confirmed mumps case

- ii. Member of a risk group defined by public health authorities during an outbreak
- 2) Acute illness clinically compatible with mumps in a person for whom any of the laboratory tests listed below have been ordered:
  - i. Mumps virus
  - ii. PCR test of mumps-specific nucleic acid
  - iii. Mumps IgM antibodyAcute and Convalescent anti-mumps IgG by quantitative assay
  - iv. Standardized mumps serologic assay to determine seroconversion
- 3) Parotitis with duration  $\geq$  2 days
- 4) Swelling of sublingual or submandibular salivary glands  $\geq$  2 days
- 5) A person with laboratory tests suggestive of mumps without clinical information.
- 6) During an outbreak of mumps, any person with aseptic meningitis, encephalitis, orchitis, oophoritis, mastitis, pancreatitis or acute onset of hearing loss

*Other recommended reporting procedures*

- All cases of Mumps should be reported.
- Reporting should be on-going and routine.
- Frequency of reporting should follow the state health department's routine schedule.

**B. Table of criteria to determine whether a case should be reported to public health authorities.**

**Table VI-B.** Proposed Table of criteria to determine whether a case should be reported to public health authorities. Requirements for reporting are established under State and Territorial laws and/or regulations and may differ from jurisdiction to jurisdiction. These criteria are suggested as a standard approach to identifying cases of this condition for purposes of reporting, but reporting should follow State and Territorial law/regulation if any conflicts occur between these criteria and those laws/regulations.

| <b>*Criterion</b>                                                      | <b>Reporting</b> |   |   |   |   |
|------------------------------------------------------------------------|------------------|---|---|---|---|
| <i>Clinical Presentation</i>                                           |                  |   |   |   |   |
| Absence of a more likely diagnosis                                     | N                | N | N | N | N |
| Parotitis Duration 2 days or more                                      | S                |   |   |   |   |
| Swelling of sublingual or submandibular salivary glands 2 days or more | S                |   |   |   |   |
| Aseptic meningitis                                                     |                  | O | O |   | O |
| Encephalitis                                                           |                  | O | O |   | O |
| Orchitis                                                               |                  | O | O |   | O |
| Oophoritis                                                             |                  | O | O |   | O |
| Mastitis                                                               |                  | O | O |   | O |

|                                                                                 |  |   |   |   |   |
|---------------------------------------------------------------------------------|--|---|---|---|---|
| Pancreatitis                                                                    |  | O | O |   | O |
| Acute onset hearing loss                                                        |  | O | O |   | O |
| <i>Laboratory tests</i>                                                         |  |   |   |   |   |
| Mumps virus                                                                     |  | O |   | O |   |
| PCR test for mumps-specific nucleic acid                                        |  | O |   | O |   |
| Mumps IgM antibody                                                              |  | O |   | O |   |
| Acute and Convalescent anti-mumps IgG by quantitative assay                     |  | O |   | O |   |
| Standardized mumps serologic assay to determine seroconversion                  |  | O |   | O |   |
| <i>Epidemiological Evidence</i>                                                 |  |   |   |   |   |
| Contact of a confirmed mumps case                                               |  |   | O |   |   |
| Member of a risk group defined by public health authorities during an outbreak. |  |   | O |   |   |

Notes:

S = This criterion alone is sufficient to report a case

O = At least one of these “O” criteria in each category in the same column (e.g., clinical presentation and laboratory findings)—in conjunction with all other “N” criteria in the same column—is required to report a case.

\* During outbreaks, these criteria also apply.

### C. Disease Specific Data Elements:

Disease-specific data elements to be included in the initial report are listed below.

#### *Epidemiological Risk Factors*

Date of onset of parotitis

Contact of mumps case

Destination of recent travel (if any)

Date of return of travel

#### Immunization History

Number of doses of mumps-containing vaccine received

Date of last dose of mumps-containing vaccine

## VII. Case Definition for Case Classification

**A. Narrative description of criteria to determine whether a case should be classified as confirmed, probable (presumptive), or suspected (possible) is provided:**

**Suspected:**

Clinically compatible illness characterized by: aseptic meningitis, encephalitis, hearing loss, orchitis, oophoritis, parotitis or other salivary gland swelling, mastitis or pancreatitis without laboratory testing

**OR**

Acute onset of unilateral or bilateral tender, self-limited swelling of the parotid and or other salivary gland(s), lasting at least 2 days without laboratory testing,

**OR**

A person without clinical information but with any of the following laboratory tests suggestive of mumps

- Isolation of mumps virus from clinical specimen, or
- Detection of mumps nucleic acid (e.g., standard or real time RT-PCR assays), or
- Detection of mumps IgM antibody, or
- Demonstration of specific mumps antibody response in absence of recent vaccination, either a four-fold increase in IgG titer as measured by quantitative assays, or a seroconversion from negative to positive using a standard serologic assay of paired acute and convalescent serum specimens.

**Probable:**

Acute onset of unilateral or bilateral tender, self-limited swelling of the parotid and or other salivary gland(s), lasting at least 2 days without laboratory confirmation

**AND**

epidemiologically linked to a clinically compatible case.

**Confirmed:**

Acute onset of unilateral or bilateral tender, self-limited swelling of the parotid and or other salivary gland(s), lasting at least 2 days AND

Epidemiologically linked to a confirmed case, **OR**

Has laboratory confirmation by any of the following:

- Isolation of mumps virus from clinical specimen, or
- Detection of mumps nucleic acid (e.g., standard or real time RT-PCR assays), or
- Detection of mumps IgM antibody, or

Demonstration of specific mumps antibody response in absence of recent vaccination, either a four-fold increase in IgG titer as measured by quantitative assays, or a seroconversion from

negative to positive using a standard serologic assay of paired acute and convalescent serum specimens

**OR**

Clinically compatible illness characterized by: aseptic meningitis, encephalitis, hearing loss, orchitis, oophoritis, parotitis or other salivary gland swelling, mastitis or pancreatitis **AND** Epidemiologically linked to a confirmed case, **OR**

Has laboratory confirmation by any of the following:

- Isolation of mumps virus from clinical specimen, or
- Detection of mumps nucleic acid (e.g., standard or real time RT-PCR assays), or
- Detection of mumps IgM antibody, or
- Demonstration of specific mumps antibody response in absence of recent vaccination, either a four-fold increase in IgG titer as measured by quantitative assays, or a seroconversion from negative to positive using a standard serologic assay of paired acute and convalescent serum specimens.

### **Case Classification for Import Status**

**Internationally imported case:** An internationally imported case is defined as a case in which mumps results from exposure to mumps virus outside the United States as evidenced by at least some of the exposure period (12–25 days before onset of parotitis or other mumps-associated complications) occurring outside the United States and the onset of parotitis or other mumps-associated complications within 25 days of entering the United States and no known exposure to mumps in the U.S. during that time. All other cases are considered U.S.-acquired cases.

**U.S.-acquired case:** A U.S.-acquired case is defined as a case in which the patient had not been outside the United States during the 25 days before onset of parotitis or other mumps-associated complications or was known to have been exposed to mumps within the United States.

U.S.-acquired cases are sub-classified into four mutually exclusive groups:

*Import-linked case:* Any case in a chain of transmission that is epidemiologically linked to an internationally imported case.

*Imported-virus case:* A case for which an epidemiologic link to an internationally imported case was not identified but for which viral genetic evidence indicates an imported mumps genotype, i.e., a genotype that is not occurring within the United States in a pattern indicative of endemic transmission. An endemic genotype is the genotype of any mumps virus that occurs in an endemic chain of transmission (i.e., lasting  $\geq 12$  months). Any genotype that is found repeatedly in U.S.-acquired cases should be thoroughly investigated as a potential endemic genotype, especially if the cases are closely related in time or location.

*Endemic case:* A case for which epidemiological or virological evidence indicates an endemic chain of transmission. Endemic transmission is defined as a chain of mumps virus transmission continuous for  $\geq 12$  months within the United States.

*Unknown source case:* A case for which an epidemiological or virological link to importation or to endemic transmission within the U.S. cannot be established after a thorough investigation. These cases must be carefully assessed epidemiologically to assure that they do not represent a sustained U.S.-acquired chain of transmission or an endemic chain of transmission within the U.S.

Note: Internationally imported, import-linked, and imported-virus cases are considered collectively to be import-associated cases.

### Comment

With previous contact with mumps virus either through vaccination (particularly with 2 doses) or natural infection, serum mumps IgM test results may be negative; IgG test results may be positive at initial blood draw and viral detection in RT-PCR or culture may have low yield. Therefore, mumps cases should not be ruled out by negative laboratory results. Serologic tests should be interpreted with caution, as false positive and false negative results are possible with IgM tests.

Currently, there is insufficient information to determine whether any mumps strains are endemic to the United States or to distinguish endemic from non-endemic strains. States may also choose to classify cases as “out-of-state-imported” when imported from another state in the United States. For national reporting, however, cases will be classified as either internationally imported or U.S.-acquired.

States may also choose to classify cases as “out-of-state-imported” when imported from another state in the United States. For national reporting, however, cases will be classified as either internationally imported or U.S.-acquired.

### B. Classification Tables

Table VII-B lists the criteria that must be met for a case to be classified as confirmed, probable (presumptive), or suspected (possible).

**Table VII-B.** . Proposed table of criteria to determine whether a case is classified.

| Criterion                                                              | Case Definition |   |  |  |          |           |  |  |
|------------------------------------------------------------------------|-----------------|---|--|--|----------|-----------|--|--|
|                                                                        | Confirmed       |   |  |  | Probable | Suspected |  |  |
| <i>Clinical Evidence</i>                                               |                 |   |  |  |          |           |  |  |
| Parotitis Duration 2 days or more                                      | O               | O |  |  | O        | O         |  |  |
| Swelling of sublingual or submandibular salivary glands 2 days or more | O               | O |  |  | O        | O         |  |  |

|                                                                                 |   |   |   |   |   |  |   |   |
|---------------------------------------------------------------------------------|---|---|---|---|---|--|---|---|
| Aseptic meningitis                                                              |   |   | O | O |   |  | O |   |
| Encephalitis                                                                    |   |   | O | O |   |  | O |   |
| Orchitis                                                                        |   |   | O | O |   |  | O |   |
| Oophoritis                                                                      |   |   | O | O |   |  | O |   |
| Mastitis                                                                        |   |   | O | O |   |  | O |   |
| Pancreatitis                                                                    |   |   | O | O |   |  | O |   |
| Acute onset hearing loss                                                        |   |   | O | O |   |  | O |   |
| <i>Laboratory Evidence</i>                                                      |   |   |   |   |   |  |   |   |
| Isolation of mumps virus from a clinical specimen                               | O |   | O |   |   |  |   | O |
| Positive PCR test for mumps-specific nucleic acid                               | O |   | O |   |   |  |   | O |
| Positive test for mumps IgM                                                     | O |   | O |   |   |  |   | O |
| 4-fold rise in mumps IgG by quantitative assay                                  | O |   | O |   |   |  |   | O |
| Conversion from negative to positive on standardized mumps serologic assay      | O |   | O |   |   |  |   | O |
| <i>Epidemiological Evidence</i>                                                 |   |   |   |   |   |  |   |   |
| Contact of a confirmed mumps case                                               |   | O |   | O |   |  |   |   |
| Contact of a clinically compatible mumps case                                   |   |   |   |   | O |  |   |   |
| Member of a risk group defined by public health authorities during an outbreak. |   | O |   | O | O |  |   |   |
| Mumps vaccination in past 4 weeks                                               | A |   | A |   | A |  |   | A |

Notes:

O = At least one of these “O” criteria in each category in the same column (e.g., clinical presentation and laboratory findings) is required to classify a case.

A = This criterion must be absent (i.e., NOT present) for the case to meet the reporting criteria or case definition.

## VIII. Period of Surveillance

Surveillance should be on-going.

## IX. Data sharing/release and print criteria

Notification to CDC for confirmed and probable cases of mumps is recommended.

- Data reported to NCIRD staff is summarized weekly internally via an NCIRD weekly surveillance report for vaccine preventable diseases. Electronic reports of mumps cases in NNDSS are also summarized weekly in the MMWR Tables. Annual case data on mumps is also summarized in the yearly Summary of Notifiable Diseases. Cumulative data is used for Healthy People 2010 reviews.
- State-specific compiled data will continue to be published in the weekly and annual MMWR. In addition to those reports, the frequency of reports/feedback to the states and territories will be dependent on the current epidemiologic situation in the country. Frequency of cases, epidemiologic distribution, importation status, transmission risk, and other factors will influence frequency and method of communication and information feedback.
- State-specific compiled data will continue to be published in the weekly reports and annual MMWR Surveillance Summaries. Data are also included in PAHO and WHO annual reports. The frequency of release of additional publication of this data will be dependent on the current epidemiologic situation in the country. These publications might include annual epidemiologic summaries in the MMWR or manuscripts in peer-reviewed journals.
- We do not plan on re-releasing case data on mumps cases to WHO or other parties.

## **X. References**

Centers for Disease Control and Prevention (CDC). Case definitions for infectious conditions under public health surveillance. MMWR 1997; 46(No. RR-10):1–57. Available from: <http://www.cdc.gov/mmwr/>

Centers for Disease Control and Prevention (CDC). National notifiable diseases surveillance system: case definitions. Atlanta: CDC. Available from: <http://www.cdc.gov/ncphi/disss/nndss/casedef/index.htm> Last updated: 2008 Jan 9. Accessed:

Council of State and Territorial Epidemiologists (CSTE). CSTE official list of nationally notifiable conditions. CSTE position statement 07-ID-02. Atlanta: CSTE; June 2007. Available from: <http://www.cste.org>.

Council of State and Territorial Epidemiologists (CSTE). Criteria for inclusion of conditions on CSTE nationally notifiable condition list and for categorization as immediately or routinely notifiable. CSTE position statement 08-EC-02. Atlanta: CSTE; June 2008. Available from: <http://www.cste.org>.

Council of State and Territorial Epidemiologists, Centers for Disease Control and Prevention. CDC-CSTE Intergovernmental Data Release Guidelines Working Group (DRGWG) Report: CDC-ATSDR Data Release Guidelines and Procedures for Re-release of State-Provided Data. Atlanta: CSTE; 2005. Available from: <http://www.cste.org/pdffiles/2005/drgwgreport.pdf> or <http://www.cdc.gov/od/foia/policies/drgwg.pdf>.

Heymann DL, editor. Control of communicable diseases manual. 18th edition. Washington: American Public Health Association; 2004.

Litman N, Baum SG. Mumps virus. In: Mandell GL, Bennett JE, Dolin R, editors. Principles and Practice of Infectious Diseases, 6th edition. Philadelphia: Churchill Livingstone; 2005.

Hviid A, Rubin S, Muehleman K. Mumps. Lancet. 2008; 371: 932-944.

## **XI. Coordination:**

### **Agencies for Response:**

- (1) Thomas R Frieden, MD, MPH  
Director  
Centers for Disease Control and Prevention  
1600 Clifton Road, NE  
Atlanta GA 30333  
(404) 639-7000  
[txf2@cdc.gov](mailto:txf2@cdc.gov)

### **XII. Submitting Author:**

- (1) Paul Cieslak, MD  
Manager, Acute and Communicable Disease Prevention  
Oregon Department of Human Services  
800 NE Oregon St./Suite 772  
Portland, OR 97232  
(971) 673-1111  
[paul.r.cieslak@state.or.us](mailto:paul.r.cieslak@state.or.us)

### **Co-Authors:**

- (1) Associate Member  
Harry F. Hull, Medical Epidemiologist  
HF Hull & Associates, LLC  
1140 St. Dennis Court  
Saint Paul, MN 55116  
(651) 695-8114  
[hullhf@msn.com](mailto:hullhf@msn.com)
- (2) Associate Member  
Cecil Lynch, Medical Informaticist  
OntoReason  
7292 Shady Woods Circle  
Midvale, UT 84047  
(916) 412.5504  
[clynch@ontoreason.com](mailto:clynch@ontoreason.com)
- (3) Associate Member  
R. Gibson Parrish, Medical Epidemiologist  
P.O. Box 197  
480 Bayley Hazen Road  
Peacham, VT 05862  
(802) 592-3357  
[gib.parrish@gmail.com](mailto:gib.parrish@gmail.com)