

Committee: Infectious Disease

Title: Public Health Reporting and National Notification for Hepatitis A

I. Statement of the Problem

CSTE position statement 07-EC-02 recognized the need to develop an official list of nationally notifiable conditions and a standardized reporting definition for each condition on the official list. The position statement also specified that each definition had to comply with American Health Information Community recommended standards to support “automated case reporting from electronic health records or other clinical care information systems.” In July 2008, CSTE identified sixty-eight conditions warranting inclusion on the official list, each of which now requires a standardized reporting definition.

II. Background and Justification

Background

In 2006, 3, 579 cases of acute Hepatitis A in the United States were reported to CDC; the overall incidence of reported acute Hepatitis A was 1.2 per 100,000 population, the lowest ever recorded. After asymptomatic infection and under-reporting are taken into account, an estimated 32,000 new infections occurred in 2006. Hepatitis A is characterized by the acute onset of illness with dark urine and jaundice. Prodromal symptoms may include fever, headache, malaise, anorexia, nausea, vomiting and diarrhea. A high percentage of infants and young children with hepatitis A infection will be asymptomatic or have non-specific symptoms, including diarrhea. Following the introduction of hepatitis A vaccine in 1995, the incidence of hepatitis A in the United States has fallen dramatically. The decline was accelerated by expanded vaccination recommendations in 1999 for the routine immunization of children living in states, counties, or communities in which Hepatitis A rates were consistently above the national average. In 2006, the vaccination recommendations were further expanded to include vaccination for children in all states. Hepatitis A is transmitted primarily by the fecal-oral route by either person-to-person contact or ingestion of contaminated food or water. Household contacts and sexual contacts of hepatitis A cases are at high risk of contracting hepatitis A and should receive post-exposure prophylaxis if previously unvaccinated. Foodborne outbreaks may occur as a result of infected food handlers with poor hygienic habits. Travelers from low endemic areas visiting countries where hepatitis A is highly endemic are at risk of contracting hepatitis A. Ongoing surveillance for hepatitis A is needed to monitor the effectiveness of current strategies in controlling disease.

Justification

Hepatitis A meets the following criteria for a nationally and standard notifiable condition, as specified in CSTE position statement 08-EC-02:

- A majority of state and territorial jurisdictions—or jurisdictions comprising a majority of the US population—have laws or regulations requiring standard reporting of Hepatitis A to public health authorities
- CDC requests standard notification of Hepatitis A to federal authorities
- CDC has condition-specific policies and practices concerning the agency’s response to, and use of, notifications.

III. Statement of the desired action(s) to be taken

CSTE requests that CDC adopt this standardized reporting definition for Hepatitis A to facilitate more timely, complete, and standardized local and national reporting of this condition.

IV. Goals of Surveillance

To provide information on the temporal, geographic, and demographic occurrence of Hepatitis A to facilitate its prevention and control.

V. Methods for Surveillance:

Surveillance for Hepatitis A should use the sources of data for case identification and the extent of coverage listed in Table V.

Table V. Recommended sources of data for case identification and extent of coverage for ascertaining cases of Hepatitis A.

Source of data for case ascertainment	Coverage	
	Population-wide	Sentinel sites
clinician reporting	X	
laboratory reporting	X	
reporting by other entities (e.g., hospitals, veterinarians, pharmacies)	X	
death certificates	X	
hospital discharge or outpatient records	X	
extracts from electronic medical records	X	
telephone survey		
school-based survey		
other _____		

VI. Criteria for case identification

A. Narrative: A description of suggested criteria for case ascertainment of hepatitis A.

Report any illness to public health authorities that meets any of the following criteria:

1. A person with acute illness and discrete onset of symptoms and jaundice or dark urine and positive IgM antibody to Hepatitis A virus (IgM anti-HAV positive). Symptoms may include: fever, headache, malaise, anorexia, nausea, vomiting, diarrhea, and abdominal pain.
or
2. A person with acute illness and discrete onset of symptoms and has elevated serum aminotransferase levels (ALT) or elevated bilirubin and positive IgM antibody to Hepatitis A virus positive (IgM anti-HAV positive). Symptoms may include: fever, headache, malaise, anorexia, nausea, vomiting, diarrhea, abdominal pain.
or
3. A person with an acute illness and discrete onset of symptoms and jaundice or dark urine or has elevated serum aminotransferase levels (ALT) and is an epidemiologic contact of a case of laboratory-confirmed hepatitis A 15-50 days prior to onset of symptoms. Symptoms may include: fever, headache, malaise, anorexia, nausea, vomiting, diarrhea, and abdominal pain.
4. A person whose healthcare record contains a diagnosis of hepatitis A.
5. A person whose death certificate lists hepatitis A as a cause of death or a significant condition contributing to death.

Other recommended reporting procedures

- All cases of Hepatitis A should be reported.
- Reporting should be on-going and routine.
- Frequency of reporting should follow the state health department's routine schedule.

B. Tables:

Table VI-B. Table of criteria to determine whether a case should be reported to public health authorities. Requirements for reporting are established under State and Territorial laws and/or regulations and may differ from jurisdiction to jurisdiction. These criteria are suggested as a standard approach to identifying cases of this condition for purposes of reporting, but reporting should follow State and Territorial law/regulation if any conflicts occur between these criteria and those laws/regulations.

Criterion	Reporting				
<i>Clinical Evidence</i>					
Acute onset		N	N	N	N
Jaundice or dark urine		N		N	
Fever		O	O	O	O
Headache		O		O	
Malaise		O	O	O	O
Anorexia		O	O	O	O
Nausea		O	O	O	O
Vomiting		O	O	O	O
Diarrhea		O	O	O	O
Abdominal Pain		O	O	O	O
Healthcare record contains a diagnosis of hepatitis A	S				
Death certificate lists hepatitis A as a cause of death or a significant condition contributing to death	S				
<i>Laboratory Evidence</i>					
Elevated serum aminotransferase levels (ALT) >200 IU/L or bilirubin levels			N		N
Hepatitis A IgM positive	S	N	N		
<i>Epidemiological Evidence</i>					
Contact of a lab-confirmed Hepatitis A case 15-50 days prior to onset				N	N

Notes:

S = This criterion alone is sufficient to report a case

N = This criterion in conjunction with all other “N” and any “O” criteria in the same column is required to report a case.

O = At least one of these “O” criteria in each category in the same column (e.g., clinical presentation and laboratory findings)—in conjunction with all other “N” criteria in the same column—is required to report a case.

C. Disease Specific Data Elements:

Disease-specific data elements to be included in the initial report are listed below.

Immunization History

Doses of Hepatitis A vaccine received

Date of last dose of Hepatitis A vaccine

Epidemiological Risk Factors

During the 2 to 8 weeks prior to the onset of symptoms did the patient:

Have contact with a person diagnosed with Hepatitis A

Household contact (non-sexual)

Sexual contact

Do any International Travel

Countries visited

Attend or work in day care setting

Inject or use any “street” drugs

Patient History

The number of female sex partners

The number of male sex partners

Risk factors for Transmission

In the 2 weeks prior to or the 2 weeks after the patient had onset of symptoms, did the patient work as a food handler or personal care giver (nurse, patient aide)

VII. Case Definition for Case Classification

A. Narrative description of criteria to determine whether a case should be classified as confirmed:

Clinical case definition

An acute illness with a) discrete onset of symptoms **and** b) jaundice, dark urine or elevated serum aminotransferase levels (ALT) >200 IU/L

Laboratory criteria for diagnosis:

Immunoglobulin M (IgM) antibody to hepatitis A virus (anti-HAV) positive

Case classification

Confirmed: a case that meets the clinical case definition and is laboratory confirmed

or

a case that meets the clinical case definition and occurs in a person who has an epidemiologic link with a person who has laboratory-confirmed hepatitis A (i.e., household or sexual contact with an infected person during the 15-50 days before the onset of symptoms)

B. Classification Tables:

Table VII-B. Table of criteria to determine whether a case is classified.

Criterion	Case Definition			
	Confirmed			
<i>Clinical Evidence</i>				
Acute onset	N	N	N	N
Jaundice or dark urine	N		N	
Fever	O	O	O	O
Headache	O		O	
Malaise	O	O	O	O
Anorexia	O	O	O	O
Nausea	O	O	O	O
Vomiting	O	O	O	O
Diarrhea	O	O	O	O
Abdominal Pain	O	O	O	O
<i>Laboratory Evidence</i>				
Elevated serum aminotransferase levels (ALT) > 200 IU/L		N		N
Hepatitis A IgM positive	N	N		
<i>Epidemiological Evidence</i>				
Household or sexual contact of a lab-confirmed Hepatitis A case 15-50 days prior to onset of symptoms			N	N

Notes:

N = This criterion in conjunction with all other “N” and any “O” criteria in the same column is required to classify a case.

O = At least one of these “O” criteria in each category in the same column (e.g., clinical presentation and laboratory findings)—in conjunction with all other “N” criteria in the same column—is required to report a case.

VIII. Period of Surveillance

Surveillance should be on-going.

IX. Data sharing/release and print criteria

Notification to CDC for confirmed cases of Hepatitis A is recommended.

- All states receive a quarterly reports of cases submitted for the year to date. In addition, reports of acute hepatitis A are summarized in the weekly MMWR and annually in the MMWR Summary of Notifiable Diseases. Also once a year, an extensive analysis of data is conducted for publication in an MMWR surveillance summary along with case reports of acute hepatitis B and C.
- At a minimum, all states receive a quarterly report of cases, as well as the annual MMWR Summary of Notifiable Disease and the MMWR surveillance summary for acute viral hepatitis.
- Publication of data will follow this schedule (at a minimum):
 - Weekly in the tables of notifiable diseases in the MMWR
 - Quarterly feedback to state health departments
 - Annually in the MMWR annual Summary of Notifiable Diseases
 - Annually in the MMWR surveillance summary of acute viral hepatitis
- There is no current plan to re-release case data. Aggregate reports are publicly available, and states maintain confidential surveillance databases.

X. References

1. Centers for Disease Control and Prevention (CDC). Case definitions for infectious conditions under public health surveillance. MMWR 1997;46(No. RR-10):1–57. Available from: <http://www.cdc.gov/mmwr/>
2. Centers for Disease Control and Prevention (CDC). National notifiable diseases surveillance system: case definitions. Atlanta: CDC. Available from: <http://www.cdc.gov/ncphi/diss/nndss/casedef/index.htm> Last updated: 2008 Jan 9. Accessed:
3. Council of State and Territorial Epidemiologists (CSTE). CSTE official list of nationally notifiable conditions. CSTE position statement 07-EC-02. Atlanta: CSTE; June 2007. Available from: <http://www.cste.org>.
4. Council of State and Territorial Epidemiologists (CSTE). Criteria for inclusion of conditions on CSTE nationally notifiable condition list and for categorization as immediately or routinely notifiable. CSTE position statement 08-EC-02. Atlanta: CSTE; June 2008. Available from: <http://www.cste.org>.
5. Council of State and Territorial Epidemiologists, Centers for Disease Control and Prevention. CDC-CSTE Intergovernmental Data Release Guidelines Working Group (DRGWG) Report: CDC-ATSDR Data Release Guidelines and Procedures for Re-release of State-Provided

Data. Atlanta: CSTE; 2005. Available from:
<http://www.cste.org/pdffiles/2005/drgwgreport.pdf> or
<http://www.cdc.gov/od/foia/policies/drgwg.pdf>.

6. Council of State and Territorial Epidemiologists (CSTE). Hepatitis, Viral Acute 1194-NSC-11h. Atlanta: CSTE; 1994. Available from: <http://www.cste.org>
7. Heymann DL, editor. Control of communicable diseases manual. 18th edition. Washington: American Public Health Association; 2004.
8. Bell BP, Anderson DA, Feinstone SM. Hepatitis A Virus. In: Mandell GL, Bennett JE, Dolin R, editors. Principles and Practice of Infectious Diseases, 6th edition. Philadelphia: Churchill Livingstone; 2005.

XI. Coordination:

Agencies for Response:

- (1) Thomas R Frieden, MD, MPH
Director
Centers for Disease Control and Prevention
1600 Clifton Road, NE
Atlanta GA 30333
(404) 639-7000
txf2@cdc.gov

XII. Submitting Author:

- (1) Gary Heseltine MD MPH
Epidemiologist
Texas Dept. State Health Services
Emerging and Infectious Disease Branch, MC 1960
PO Box 149347
Austin, TX 78714-9347
Phone: 512-458-7111 ext. 6352
gary.heseltine@dshs.state.tx.us

Co-Authors:

- (1) Harry F. Hull, Medical Epidemiologist
HF Hull & Associates, LLC
1140 St. Dennis Court
Saint Paul, MN 55116
(651) 695-8114
hullhf@msn.com
- (2) Cecil Lynch, Medical Informaticist
OntoReason
7292 Shady Woods Circle

Midvale, UT 84047
(916) 412.5504
clynch@ontoreason.com

- (3) R. Gibson Parrish, Medical Epidemiologist
P.O. Box 197
480 Bayley Hazen Road
Peacham, VT 05862
(802) 592-3357
gib.parrish@gmail.com